




# Protan Balconies and Terraces

Your design – Our solution

# Protan Exposed Terrace System



Protan has developed an attractive membrane for use on terraces and balconies where a strong, durable and safe walking surface is required. **Protan T and GT** membrane can be installed on almost all solid substrates. Protan manufacture convenient prefabricated components for detailing which ensures quality waterproofing throughout. By choosing Protan systems on terraces and balconies, water related problems such as corrosion of steel reinforcement in concrete structures and rotting of timber will be avoided.



Protan Terrace membrane is UV-resistant, fire resistant and has an anti-slip textured surface for safety. Protan Terrace membrane is 2.0 and 2.4 mm thick, and is supplied in three standard colours: green, light grey and dark grey.

The system can also be installed on application areas where there is limited height for surface finishes.

Protan Terrace membrane can be cleaned as an ordinary indoor floor, and does not need any special maintenance.

**Lifetime expectancy of up to 20 years depending upon level of usage.**


Installation is by trained and experienced operatives, ensuring a neat and water-tight application every time.



# Protan Protected Terrace System

For areas of high expected usage, where insulation may be required in the build up, or where a particular surface finish is required, Protan has developed **Protan G** range with a thickness of 1.5 mm.

The Protan G membrane is well suited for water-proofing under concrete tiles, slatted wood or concrete slabs. Since Protan G series membranes are also specified for use in roof garden applications, they can easily be used in combination for hard and soft landscaping.



## Other application areas

Protan Exposed Membrane Roof

Protan Feature Roof

Protan Protected Membrane Roof

Protan Roof Renovation

## Protan Terraces and Balconies

Your design – Our solution



Protan AS

P.O. Box 420 Brakerøya - 3002 Drammen - Norway

Telephone + 47 32 22 16 00 - Fax + 47 32 22 17 00

[www.protan.com](http://www.protan.com)

